


VETONIITIT  
ALUMIINI / TERÄS  
DIN 7337



d	L	PAKKAUS	AINEV.	W	dc	K	REIKÄ Ø
Ø 2.4	4	1000/8000	0,5-2,0	1,45	5,00	0,55	2,50
	6	1000/8000	2,0-4,0				
	8	1000/8000	4,0-6,0				
	10	1000/8000	6,0-8,0				

Ø 3.0	5	500/4000	0,5-2,5	1,80	6,50	0,80	3,10
	6	500/4000	1,5-3,5				
	7	500/4000	1,5-4,5				
	8	500/4000	3,5-5,5				
	10	500/4000	5,5-7,0				
	12	500/4000	7,0-9,0				
	14	500/4000	9,0-11,0				
	16	500/4000	11,0-13,0				
18	500/4000	13,0-15,0					


Ø 3.2	5	500/4000	0,5-2,5	1,80	6,50	0,80	3,30
	6	500/4000	1,5-2,5				
	8	500/4000	3,5-5,5				
	10	500/4000	5,5-7,0				
	12	500/4000	7,0-9,0				
	15	500/4000	9,0-12,0				
	18	500/4000	12,0-15,0				
	20	500/4000	15,0-17,0				

Ø 4.0	5	500/4000	0,5-2,5	2,20	8,00	1,00	4,10
	6	500/4000	1,5-3,0				
	7	500/4000	3,0-4,5				
	8	500/4000	3,0-5,0				
	10	500/4000	5,0-6,5				
	12	500/4000	6,5-8,5				
	14	500/4000	8,5-10,5				
	16	500/4000	10,5-12,5				
	18	500/4000	12,5-14,5				
	20	500/4000	14,5-16,5				
	25	250/2000	16,5-21,5				
30	250/2000	21,5-26,0					

Ø 4.8	6	500/3000	0,5-3,0	2,75	9,50	1,10	4,90
	8	500/3000	3,0-4,5				
	10	500/3000	4,5-6,0				
	12	500/3000	6,0-8,0				
	14	500/3000	8,0-10,0				
	16	250/2000	10,0-12,0				

MUUT KOOT KYSELYNÄ

VETONIITIT  
ALUMIINI / TERÄS  
DIN 7337



d	L	PAKKAUS	AINEV.	W	dc	K	REIKÄ Ø
Ø 4.8	18	250/2000	12,0-14,0	2,75	9,50	1,10	4,90
	21	250/2000	14,0-17,0				
	24	200/1200	17,0-20,0				
	27	200/1200	20,0-23,0				
	30	200/1200	23,0-25,0				
	32	150/900	25,0-27,0				
	35	150/900	27,0-30,0				
	40	150/900	30,0-35,0				
	45	100/600	35,0-40,0				
	50	10/600	40,0-45,0				


Ø 5.0	6	500/3000	0,5-2,5	2,75	9,50	1,10	5,10
	8	500/3000	3,0-4,5				
	10	500/3000	4,5-6,0				
	12	500/3000	6,0-8,0				
	14	500/3000	8,0-10,0				
	16	250/2000	10,0-12,0				
	18	250/2000	12,0-14,0				
	20	200/1200	14,0-16,0				
	25	200/1200	16,0-21,0				
	30	200/1200	21,0-25,0				
	35	200/1200	25,0-30,0				
	40	150/900	30,0-35,0				
	45	100/600	35,0-40,0				
	50	100/600	40,0-45,0				

Ø 6.0	8	250/2000	2,0-4,0	2,95	12,00	1,50	6,10
	10	250/2000	4,0-6,0				
	12	250/1500	6,0-8,0				
	14	250/1500	8,0-10,0				
	16	200/1200	10,0-11,0				
	18	200/1200	11,0-13,0				
	20	200/1200	13,0-15,0				
	24	200/1200	15,0-20,0				
	30	150/900	25,0-30,0				
	35	100/900	30,0-35,0				

Ø 6.4	12	250/1500	2,0-6,0	2,95	13,00	1,80	6,50
	15	200/1200	6,0-9,0				
	18	200/1200	9,0-12,0				
	22	200/1200	12,0-16,0				
	26	200/1200	16,0-20,0				
	30	150/900	20,0-24,0				
	35	100/600	24,0-29,0				
	50	500/500	29,0-42,0				

MUUT KOOT KYSELYNÄ

VETONIITIT  
ALUMIINI / ALUMIINI  
DIN 7337



d	L	PAKKAUS	AINEV.	W	dc	K	REIKÄ Ø
Ø 3.2	6	500/4000	1,5-3,5	1,95	6,00	1,00	3,30
	8	500/4000	3,5-5,5				
	10	500/4000	5,5-7,0				
	12	500/4000	7,0-9,0				
	15	500/4000	9,0-12,0				
	18	500/4000	12,0-15,0				

Ø 4.0	6	500/4000	1,5-3,0	2,45	8,00	1,20	4,10
	8	500/4000	3,0-4,5				
	10	500/4000	4,5-6,5				
	12	500/4000	6,5-8,5				
	14	500/3000	8,5-10,5				
	16	500/3000	10,5-12,5				
	18	500/3000	12,5-14,5				
	20	500/3000	14,5-16,5				


Ø 4.8	6	500/3000	0,5-3,0	2,95	9,00	1,50	4,90
	8	500/3000	3,0-4,5				
	10	500/3000	4,5-6,0				
	12	500/3000	6,0-8,0				
	14	500/3000	8,0-12,0				
	16	250/2000	10,0-12,0				
	18	250/2000	12,0-14,0				
	21	250/2000	14,0-17,0				
	24	200/1200	17,0-20,0				
	27	200/1200	22,0-23,0				

VETONIITIT  
ALUMIINI / ALUMIINI  
LAAJAKANTA

d	L	PAKKAUS	AINEV.	W	dc	K	REIKÄ Ø
Ø 4.8	10	250/2000	4,0-6,0	2,95	14,00	1,80	4,90
	12	250/2000	6,0-8,0				
	14	250/1500	8,0-10,0				
	16	250/1500	10,0-12,0				
	18	200/1200	12,0-14,0				
	21	200/1200	14,0-17,0				
	24	150/900	17,0-20,0				

MUUT KOOT KYSELYNÄ

VETONIITIT  
ALUMIINI / A2  
DIN 7337



d	L	PAKKAUS	AINEV.	W	dc	K	REIKÄ Ø
Ø 3.2	6	500/4000	1,5-3,5	1,8	6,50	0,80	3,30
	8	500/4000	3,5-5,5				
	10	500/4000	5,5-7,0				
	12	500/4000	7,0-9,0				
	15	500/4000	9,0-12,0				
	18	500/4000	12,0-15,0				

Ø 4.0	6	500/4000	1,5-3,0	2,20	8,00	1,00	4,10
	8	500/4000	3,0-4,5				
	10	500/4000	4,5-6,5				
	12	500/3000	6,5-8,5				
	14	500/3000	8,5-10,5				
	16	500/3000	10,5-12,5				
	18	500/3000	12,5-14,5				
	20	500/3000	14,5-16,5				


Ø 4.8	6	500/3000	0,5-3,0	2,75	9,50	1,10	4,90
	8	500/3000	3,0-4,5				
	10	500/3000	4,5-6,0				
	12	500/3000	6,0-8,0				
	14	250/2000	8,0-10,0				
	16	250/2000	10,0-12,0				
	18	250/1500	12,0-14,0				
	21	250/1500	14,0-17,0				
	24	200/1200	17,0-20,0				
	27	200/1200	20,0-23,0				
	30	200/1200	23,0-25,0				
	35	150/900	25,0-30,0				

Ø 5.0	10	500/3000	4,5-6,0	2,75	9,50	1,10	5,10
	12	500/3000	6,0-8,0				
	14	250/2000	8,0-10,0				
	16	250/2000	10,0-12,0				

VETONIITIT  
ALUMIINI / A2  
LAAJAKANTA


d	L	PAKKAUS	AINEV.	W	dc	K	REIKÄ Ø
Ø 5.0	8	250/1500	3,5-4,5	2,75	14,00	1,80	5,10
	10	250/1500	4,5-6,0				
	12	250/1500	6,0-8,0				
	14	250/1500	8,0-10,0				
	16	250/1500	10,0-12,0				

VETONIITIT  
TERÄS / TERÄS  
DIN 7337



d	L	PAKKAUS	AINEV.	W	dc	K	REIKÄ Ø
Ø 3.0	6	500/4000	1,5-3,5	2,00	6,50	0,80	3,10
	8	500/4000	3,5-5,5				
	10	500/4000	5,5-7,0				
	12	500/4000	7,0-9,0				
Ø 3.2	6	500/4000	1,5-3,5	2,00	6,50	0,80	3,30
	8	500/4000	3,5-5,5				
	10	500/4000	5,5-7,0				
	12	500/4000	7,0-9,0				
	14	500/4000	9,0-11,0				
Ø 4.0	6	500/4000	1,5-3,0	2,40	8,00	1,00	4,10
	8	500/4000	3,0-5,0				
	10	500/4000	5,0-6,5				
	12	500/3000	6,5-8,5				
	14	500/3000	8,5-10,5				
	16	500/3000	10,5-12,5				
	18	500/3000	12,5-14,5				
20	500/3000	14,5-16,5					
Ø 4.8	6	500/3000	0,5-3,0	2,93	9,50	1,10	4,90
	8	500/3000	3,0-4,5				
	10	500/3000	4,5-6,0				
	12	500/3000	6,0-8,0				
	14	500/2000	8,0-10,0				
	16	250/2000	10,0-12,0				
	18	250/1500	12,0-14,0				
	21	250/1500	14,0-16,0				
	24	200/1200	16,0-19,0				
	30	200/1200	20,0-25,0				
	35	150/900	25,0-30,0				
Ø 5.0	8	500/3000	3,0-4,5	2,93	9,50	1,10	5,10
	10	500/3000	4,5-6,0				
	12	500/3000	6,0-8,0				
	14	250/2000	8,0-10,0				
	16	250/2000	10,0-11,5				
	18	250/1500	11,5-13,0				
	20	250/1500	13,0-15,0				
	25	200/1200	15,0-20,0				
	30	200/1200	20,0-25,0				
	35	150/900	25,0-30,0				
	40	150/900	30,0-34,0				
	45	100/600	34,0-39,0				
	50	100/600	39,0-44,0				
	60	100/600	44,0-54,0				
Ø 6.4	8	250/1500	1,0-2,0	3,9	13	1,8	6,5
	10	250/1500	2,0-4,0				
	12	250/1500	4,0-6,0				
	15	250/1500	6,0-9,0				
	18	200/1200	9,0-12,0				
	20	150/900	12,0-14,0				
	22	150/900	14,0-16,0				
	25	150/900	16,0-19,0				
	30	100/600	19,0-24,0				


VETONIITIT  
A2/ A2



d	L	PAKKAUS	AINEV.	W	dc	K	REIKÄ Ø
Ø 3.0	6	500/4000	1,0-3,0	2,00	6,50	0,80	3,10
	8	500/4000	3,0-5,0				
	10	500/4000	5,0-7,0				
	12	500/4000	7,0-9,0				
Ø 3.2	6	500/4000	1,0-3,0	2,00	6,50	0,80	3,30
	8	500/4000	3,0-5,0				
	10	500/4000	5,0-7,0				
	12	500/4000	6,0-9,0				
	15	500/4000	9,0-12,0				
	18	500/4000	12,0-15,0				
Ø 4.0	6	500/4000	1,0-3,0	2,50	8,00	1,00	4,10
	8	500/4000	2,5-4,5				
	10	500/4000	4,5-6,5				
	12	500/3000	6,5-8,5				
	14	500/3000	8,5-10,9				
	16	500/3000	10,5-12,0				
	18	500/3000	12,0-14,0				
	20	500/3000	14,0-16,0				
Ø 4.8	8	500/3000	1,0-3,0	3,10	9,50	1,10	4,90
	10	500/3000	4,0-6,0				
	12	500/3000	6,0-8,0				
	14	500/2000	8,0-10,0				
	16	250/2000	10,0-12,0				
Ø 4.8	18	250/1500	12,0-14,0	2,90	9,50	1,10	4,90
	20	250/1500	14,0-16,0				
	25	200/1200	16,0-20,0				
	30	200/1200	20,0-25,0				
Ø 5.0	8	500/3000	1,0-3,0	3,10	9,50	1,10	5,10
	10	500/3000	4,0-6,0				
	12	500/3000	6,0-8,0				
	14	250/2000	8,0-10,0				
	16	250/2000	10,0-12,0				
Ø 6.4	12	250/1500	2,0-6,0	3,6	13,80	1,10	6,50
	15	250/1500	6,0-9,0				
	18	250/1500	9,0-12,0				

MUUT KOOT KYSELYNÄ

VETONIITIT  
LAAJAKANTA  
ALUMIINI / TERÄS



d	L	PAKKAUS	AINEV.	W	dc	K	REIKÄ Ø
Ø 3.2	6	500/4000	0,5-3,5	1,80	9,50	1,10	3,30
	8	500/4000	3,5-5,5				
	10	500/4000	5,5-7,0				
	12	500/4000	7,0-9,0				
	14	500/4000	8,0-10,0				
16	500/4000	9,0-11,0					

Ø 4.0	8	500/3000	1,5-5,0	2,20	12,00	1,40	4,10
	10	500/3000	5,0-6,5				
	12	250/2000	6,5-8,5				
	14	250/2000	8,5-10,5				
	16	250/2000	10,5-12,5				
	18	250/2000	12,5-14,5				
20	250/2000	14,5-16,5					


Ø 4.8 D=14mm	10	250/1500	3,0-6,0	2,75	14,00	1,80	4,90
	12	250/1500	6,0-8,0				
	14	250/1500	8,0-10,0				
	16	250/1500	10,0-12,0				
	18	200/1200	12,0-14,0				
	21	200/1200	14,0-17,0				
	24	150/900	17,0-20,0				
	27	150/900	20,0-23,0				
	30	150/900	23,0-25,0				
	35	100/600	25,0-30,0				
	40	100/600	30,0-35,0				
45	100/600	35,0-40,0					
50	100/600	40,0-45,0					

Ø 5.0 D=11mm	8	250/2000	3,0-4,5	2,75	11,00	1,60	5,10
	10	250/2000	4,5-6,0				
	12	250/2000	6,0-8,0				
	14	250/1500	8,0-10,0				
	16	250/1500	10,0-12,0				
	18	250/1500	12,0-14,0				
	20	250/1500	14,0-16,0				
	25	250/1500	16,0-21,0				
	30	200/1200	21,0-25,0				

Ø 4.8 D=16mm	10	250/1500	3,0-6,0	2,75	16,00	1,80	4,90
	12	250/1500	6,0-8,0				
	14	250/1500	8,0-10,0				
	16	200/1200	10,0-12,0				
	18	200/1200	12,0-14,0				
	21	150/900	14,0-17,0				
	24	150/900	17,0-20,0				
	27	150/900	20,0-23,0				
	30	150/900	23,0-25,0				
	35	100/600	25,0-30,0				

Ø 5.0 D=14mm	8	250/1500	3,0-4,5	2,75	14,00	1,80	5,10	
	10	250/1500	4,5-6,0					
	12	250/1500	6,0-8,0					
	14	250/1500	8,0-10,0					
	16	250/1500	10,0-12,0					
	18	200/1200	12,0-14,0					
	20	200/1200	14,0-16,0					
	25	150/900	16,0-21,0					
	30	150/900	21,0-25,0					

VETONIITIT  
A4 / A4  
DIN 7337




d	L	PAKKAUS	AINEV.	W	dc	K	REIKÄ Ø
Ø 3.2	6	500/4000	1,0-3,0	2,10	6,20	1,00	3,30
	8	500/4000	3,0-5,0				
	10	500/4000	5,0-7,0				
	12	500/4000	7,0-9,0				
Ø 4.0	6	500/4000	1,0-3,0	2,40	8,00	1,30	4,10
	8	500/4000	3,0-5,0				
	10	500/4000	5,0-7,0				
	12	500/3000	7,0-9,0				
	14	500/3000	9,0-11,0				
Ø 4.8	8	500/3000	1,0-3,0	3,10	8,70	1,40	4,90
	10	500/3000	4,0-6,0				
	12	500/3000	6,0-8,0				
	14	250/2000	8,0-10,0				

MUUT KOOT KYSELYNÄ



VETONIITIT  
ALUMIINI / TERÄS  
UPPOKANTA 120°



d	L	PAKKAUS	AINEV.	W	dc	K	REIKÄ Ø
Ø 3.0	6	500/4000	1,5-3,5	1,80	6,00	0,90	3,10
	8	500/4000	3,5-5,5				
	10	500/4000	5,5-7,0				
	12	500/4000	7,0-9,0				
	14	500/4000	9,0-11,0				
	16	500/4000	11,0-13,0				

Ø 3.2	6	500/4000	1,5-3,5	1,80	6,00	0,90	3,30
	8	500/4000	3,5-5,5				
	10	500/4000	5,5-7,0				
	12	500/4000	7,0-9,0				
	15	500/4000	9,0-11,0				
	18	500/4000	11,0-13,0				


Ø 4.0	6	500/4000	1,5-3,0	2,20	7,50	1,00	4,10
	8	500/4000	3,0-5,0				
	10	500/4000	5,0-6,5				
	12	500/3000	6,5-8,5				
	14	500/3000	8,5-10,5				
	16	500/3000	10,5-12,5				
	18	500/3000	12,5-14,5				
	20	500/3000	14,5-16,5				

Ø 4.8	6	500/3000	0,5-3,0	2,75	9,00	1,20	4,90
	8	500/3000	3,0-4,5				
	10	500/3000	4,5-6,0				
	12	500/3000	6,0-8,0				
	14	500/2000	8,0-10,0				
	16	250/2000	10,0-12,0				
	18	250/1500	12,0-14,0				
	21	250/1500	14,0-17,0				
	24	200/1200	17,0-20,0				
	27	200/1200	20,0-23,0				
	30	200/1200	23,0-25,0				
	35	150/900	25,0-30,0				

Ø 5.0	6	500/3000	0,5-3,0	2,75	9,00	1,20	5,10
	8	500/3000	3,0-4,5				
	10	500/3000	4,5-6,0				
	12	500/3000	6,0-8,0				
	14	500/2000	8,0-10,0				
	16	500/2000	10,0-12,0				
	18	250/1500	12,0-14,0				
	20	250/1500	14,0-16,0				
	25	200/1200	16,0-21,0				
	30	200/1200	21,0-25,0				

MUUT KOOT KYSELYNÄ

VETONIITIT  
TERÄS / TERÄS  
UPPOKANTA 120°




d	L	PAKKAUS	AINEV.	W	dc	K	REIKÄ Ø
Ø 4.0	8	500/4000	3,0-5,0	2,20	7,50	1,00	4,10
	10	500/4000	5,0-6,5				
	12	500/4000	6,8-8,5				
	14	500/3000	8,5-10,5				

Ø 4.8	8	500/3000	3,0-4,5	2,75	9,00	1,20	4,90
	10	500/3000	4,5-6,0				
	12	500/3000	6,0-8,0				
	14	250/2000	8,0-10,0				

MUUT KOOT KYSELYNÄ

VETONIITIT  
KUPARI / TERÄS  
DIN 7337




d	L	PAKKAUS	AINEV.	W	dc	K	REIKÄ Ø
Ø 3.0	6	500/4000	1,5-3,5	2,00	6,50	0,80	3,10
	8	500/4000	3,5-5,5				
	10	500/4000	5,5-7,0				
	12	500/4000	7,0-9,0				

Ø 4.0	6	500/4000	1,5-3,0	2,40	8,00	1,00	4,10
	8	500/4000	3,0-5,0				
	10	500/4000	5,0-6,5				
	12	500/3000	6,5-8,5				
	14	500/3000	8,5-10,5				
16	500/3000	10,5-12,5					

Ø 4.8	8	500/3000	3,0-4,5	2,93	9,50	1,10	4,90
	10	500/3000	4,5-6,0				
	12	500/3000	6,0-8,0				
	14	250/2000	8,0-10,0				

MUUT KOOT KYSELYNÄ

VETONIITIT  
KUPARI / PRONSSI  
DIN 7337




d	L	PAKKAUS	AINEV.	W	dc	K	REIKÄ Ø
Ø 3.0	6	500/4000	1,5-3,5	1,80	6,50	0,80	3,10
	8	500/4000	3,5-5,5				
	10	500/4000	5,5-7,0				
	12	500/4000	7,0-9,0				

Ø 3.2	6	500/4000	1,5-3,5	2,00	6,50	0,80	3,30
	8	500/4000	3,5-5,5				
	10	500/4000	5,5-7,0				
	12	500/4000	7,0-9,0				

Ø 4.0	6	500/4000	1,5-3,0	2,40	8,00	1,00	4,10
	8	500/4000	3,0-5,0				
	10	500/4000	5,0-6,5				
	12	500/3000	6,5-8,5				
	14	500/3000	8,5-10,5				
	16	500/3000	10,5-12,5				

MUUT KOOT KYSELYNÄ

VETONIITIT  
A2 / A2  
UPPOKANTA 120°




d	L	PAKKAUS	AINEV.	W	dc	K	REIKÄ Ø
Ø 3.2	6	500/4000	1,5-3,5	2,10	6,00	0,90	3,30
	8	500/4000	3,5-5,5				
	10	500/4000	5,5-7,0				
	12	500/4000	7,0-9,0				

Ø 4.0	8	500/4000	3,0-5,0	2,40	7,50	1,00	4,10
	10	500/4000	5,0-6,5				
	12	500/3000	6,5-8,5				
	14	500/3000	8,5-10,5				

Ø 4.8	8	500/3000	3,0-4,5	3,10	9,00	1,20	4,90
	10	500/3000	4,5-6,0				
	12	500/3000	6,0-8,0				
	14	250/2000	8,0-10,0				

MUUT KOOT KYSELYNÄ

**VETONIITIT  
TERÄS / TERÄS  
LAAJAKANTA**




d	L	PAKKAUS	AINEV.	W	dc	K	REIKÄ Ø
Ø 4.0	6	500/3000	1,5-3,0	2,40	12,00	1,40	4,10
	8	500/3000	3,0-5,0				
	10	500/3000	5,0-6,5				
	12	250/2000	6,5-8,5				
	14	250/1500	8,5-10,5				

Ø 4.8	10	250/2000	3,0-6,0	2,93	14,00	1,80	4,90
	12	250/2000	6,0-8,0				
	14	250/1500	8,0-10,0				
	16	250/1500	10,0-12,0				
	18	250/1200	12,0-14,0				
	21	200/1200	14,0-16,0				
	24	150/600	16,0-18,0				
	30	150/600	18,0-20,0				

MUUT KOOT KYSELYNÄ

**VETONIITIT  
ALUMIINI / TERÄS  
PAINEENKESTÄVÄ**



d	L	PAKKAUS	AINEV.	W	dc	K	REIKÄ Ø
Ø 3.2	6,5	500/4000	0,5-2,0	1,70	6,00	0,90	3,30
	8	500/4000	2,0-3,5				
	9,5	500/4000	3,5-5,0				
	11	500/4000	5,0-6,5				
	12,5	500/4000	6,5-8,0				

Ø 4.0	8	500/4000	0,5-3,5	2,20	8,00	1,30	4,10
	9,5	500/4000	3,5-5,0				
	11	500/4000	5,0-6,5				
	12,5	500/3000	6,5-8,0				
	14,5	500/3000	8,0-10,0				

Ø 4.8	8,5	500/3000	0,5-3,5	2,60	9,50	1,50	4,90
	9,5	500/3000	3,5-5,0				
	11	500/3000	5,0-6,5				
	13	250/2000	6,5-8,0				
	14,5	250/2000	8,0-9,5				
	16	250/2000	9,5-11,5				
	18	250/1500	11,5-13,0				
	21	250/1500	13,0-16,0				
	25	200/1200	16,0-20,0				


Ø 6.4	12,7	250/1500	4,0-7,0	3,60	12,50	1,80	6,50
	15,5	200/1200	7,0-10,0				

**PAINEENKESTÄVÄ  
ALUMIINI / TERÄS  
LAAJAKANTA**

d	L	PAKKAUS	AINEV.	W	dc	K	REIKÄ Ø
Ø 4.8	13	250/1500	6,5-8,0	2,75	14,00	1,80	4,90
	18	200/1200	10,5-12,5				

MUUT KOOT KYSELYNÄ


**VETONIITIT  
PAINEENKESTÄVÄ  
ALUMIINI / ALUMIINI  
KUPUKANTA**



d	L	PAKKAUS	AINEV.	W	dc	K	REIKÄ Ø
Ø 3.2	8	500/4000	0,5-2,0	1,80	6,35	1,40	3,30
	9,5	500/4000	2,0-5,0				
Ø 4.0	9,5	500/4000	3,5-5,0	2,20	8,00	1,70	4,10
	12,5	500/3000	5,0-8,0				
Ø 4.8	9,5	500/3000	3,5-5,0	2,65	9,50	2,00	4,90
	11,5	500/3000	5,0-6,5				
	12,5	250/2000	6,0-7,5				
	14,5	250/2000	6,5-9,5				
	18	250/1500	9,5-13,0				

MUUT KOOT KYSELYNÄ


**VETONIITIT  
PAINEENKESTÄVÄ  
ALUMIINI / A2  
DIN 7337**



d	L	PAKKAUS	AINEV.	W	dc	K	REIKÄ Ø
Ø 3.2	6,5	500/4000	0,5-2,0	1,70	6,00	0,80	3,30
	8	500/4000	2,0-3,5				
	9,5	500/4000	3,5-5,0				
	12,5	500/4000	6,5-8,0				
Ø 4.0	8	500/4000	0,5-3,5	2,20	8,00	1,30	4,10
	9,5	500/4000	3,5-5,0				
	11	500/4000	5,0-6,5				
	12,5	500/3000	6,5-8,0				
Ø 4.8	8	500/3000	0,5-3,5	2,65	9,50	1,50	4,90
	9,5	500/3000	3,5-5,0				
	11	500/3000	5,0-6,5				
	13	250/2000	6,5-8,0				
	14,5	250/2000	8,0-9,5				
	16	250/2000	9,5-11,0				
	18	250/1500	11,0-13,0				
	21	250/1500	13,0-16,0				

MUUT KOOT KYSELYNÄ


**VETONIITIT  
PAINEENKESTÄVÄ  
KUPARI / TERÄS  
UPPOKANTA 120°**



d	L	PAKKAUS	AINEV.	W	dc	K	REIKÄ Ø
Ø 3.2	9,5	500/4000	3,5-5,5	1,70	6,35	1,40	3,30
Ø 4.0	10	500/4000	3,5-5,5	2,20	8,00	1,40	4,10
Ø 4.8	9,5	500/3000	2,5-4,5	2,65	9,50	1,60	4,90
	12	500/3000	4,5-6,5				

MUUT KOOT KYSELYNÄ


**VETONIITIT  
PAINEENKESTÄVÄ  
TERÄS / TERÄS  
DIN 7337**



d	L	PAKKAUS	AINEV.	W	dc	K	REIKÄ Ø
Ø 3.2	8	500/4000	0,5-3,0	1,90	6,00	1,00	3,30
	9,5	500/4000	1,0-4,5				
	12	500/4000	4,0-7,0				
Ø 4.0	8	500/4000	0,5-3,5	2,30	8,00	1,40	4,10
	10	500/4000	1,0-5,0				
	12	500/3000	5,0-7,5				
	15	500/3000	7,5-10,5				
Ø 4.8	9,5	500/3000	1,0-4,0	2,90	9,50	1,70	4,90
	12	500/3000	4,0-6,0				

MUUT KOOT KYSELYNÄ

**VETONIITIT  
PAINEENKESTÄVÄ  
A2 / A2  
KUPUKANTA**



d	L	PAKKAUS	AINEV.	W	dc	K	REIKÄ Ø
Ø 3.2	8	500/4000	0,5-3,0	1,90	6,00	1,00	3,30
	9,5	500/4000	1,0-4,5				
	12	500/4000	4,5-7,0				
Ø 4.0	8	500/4000	0,5-3,0	2,30	8,00	1,40	4,10
	9,5	500/4000	1,0-4,5				
	12	500/3000	4,5-7,5				
	14	500/3000	7,0-10,0				
	16	500/3000					
Ø 4.8	9,5	500/3000	1,0-4,0	2,90	9,50	1,40	4,90
	12	500/3000	4,0-6,0				
	13	250/2000	5,0-7,0				
	15	250/2000	5,0-9,0				
	16	250/2000	6,0-10,0				
	17	250/1500	10,0-12,0				
	18	250/1500	11,0-13,0				

MUUT KOOT KYSELYNÄ

VETONIITIT  
ALUMIINI / TERÄS  
PITKÄ




d	L	PAKKAUS	AINEV.	W	dc	K	REIKÄ Ø
Ø 4.0	35	250/1500	26,0-31,5	2,10	7,50	1,00	4,10
	40	250/1500	31,5-36,5				

Ø 5.0	40	150/900	30,0-35,0	2,73	9,30	1,50	5,10
	45	100/600	35,0-40,0				
	50	100/600	40,0-45,0				
	55	100/600	45,0-48,0				
	60	100/600	48,0-52,0				
	65	100/600	52,0-57,0				
	70	100/600	57,0-62,0				
	75	100/600	62,0-67,0				
	80	100/600	67,0-72,0				
	90	100/600	72,0-82,0				
	100	1000	82,0-92,0				
	110	500	92,0-102,0				
	120		102,0-112,0				
	130		112,0-122,0				
	140		122,0-132,0				
	150		132,0-142,0				
	160		142,0-152,0				
	170		152,0-162,0				
180		162,0-172,0					
190		172,0-182,0					

Ø 6.4	80	500	42,0-73,0	3,60	13,00	2,00	6,50
	100	500	73,0-93,0				
	120	500	93,0-113,0				
	150		113,0-143,0				
	175		143,0-168,0				
	200		168,0-193,0				

MUUT KOOT KYSELYNÄ

VETONIITIT  
ALUMIINI / TERÄS  
MULTIGRIP



d	L	PAKKAUS	AINEV.	W	dc	K	REIKÄ Ø
Ø 3.2	8	500/4000	0,5-5,0	1,80	6,20	1,10	3,3-3,5
	11	500/4000	4,0-8,0				

Ø 4.0	6,5	500/4000	0,5-4,0	2,20	8,20	1,40	4,1-4,3
	9,5	500/4000	1,0-6,0				
	12,5	500/3000	4,0-9,0				
	16,5	500/3000	6,0-13,0				

Ø 4.8	10,5	250/2000	1,5-6,5	2,75	9,20	1,80	4,9-5,1
	15	250/2000	4,5-11,0				
	16,5	250/1500	6,5-13,0				
	19,5	250/1500	8,5-16,0				
	24,5	200/1200	12,5-20,0				

**LAAJAKANTA  
ALUMIINI / TERÄS  
MULTIGRIP**

d	L	PAKKAUS	AINEV.	W	dc	K	REIKÄ Ø
Ø 4.0	13	250/2000	3,0-9,0	2,20	12,00	1,40	4,1-4,3
	16,5	250/2000	6,0-13,0				

Ø 4.8	10,5	200/1200	1,5-6,0	2,75	16,00	1,80	4,9-5,1
	17	150/900	6,5-12,5				
	25	150/900	12,0-19,5				


**ALUMIINI / A2  
MULTIGRIP**

d	L	PAKKAUS	AINEV.	W	dc	K	REIKÄ Ø
Ø 3.2	8	500/4000	0,5-5,0	1,80	6,20	1,10	3,3-3,5
	11	500/4000	4,0-8,0				

Ø 4.0	6,5	500/4000	1,0-3,0	2,2	8,2	1,4	4,1-4,3
	9,5	500/4000	3,0-6,0				
	12,5	500/3000	6,0-9,0				
	16,5	500/3000	9,0-13,0				

Ø 4.8	10,5	250/2000	1,5-6,5	2,75	9,2	1,8	4,9-5,1
	15	250/2000	4,5-11,0				
	16,5	250/1500	6,5-13,0				
	24,5	200/1200	12,5-20,0				

**VETONIITIT  
ALUMIINI / TERÄS  
PEHMEILLE AINEILLE**



d	L	PAKKAUS	AINEV.	W	dc	K	REIKÄ Ø
Ø 4.0	6	7000	1,5-3,0	2,20	8,00	1,00	4,10
	8	7000	3,0-4,5				
	10	7000	4,5-6,5				
	12	5000	6,5-8,5				
	14	5000	8,5-10,5				
	16	5000	10,5-12,5				
	18	5000	12,5-14,5				
	20	5000	14,5-16,5				

Ø 4.8	6	5000	0,5-3,0	2,75	9,50	1,10	4,10
	8	4000	3,0-4,5				
	10	4000	4,5-6,0				
	12	4000	6,0-8,00				
	14	3000	8,0-10,0				
	16	3000	10,0-12,0				
	18	3000	12,0-14,0				
	21	3000	14,0-17,0				
	24	2000	17,0-20,0				
	27	2000	20,0-23,0				
	30	2000	23,0-25,0				

MUUT KOOT KYSELYNÄ




VETONIITIT  
LAAJAKANTA  
ALUMIINI / TERÄS  
PEHMEILLE AINEILLE

d	L	PAKKAUS	AINEV.	W	dc	K	REIKÄ Ø
Ø 4.0	8	500/3000	4,00	2,20	12,00	1,40	4,20
	10	500/3000	6,00				
	12	250/2000	8,00				
	14	250/2000	10,00				
	16	250/2000	12,00				
	18	250/2000	14,00				
	20	250/2000	16,00				

Ø 4.8	10	250/2000	5,00	2,75	14,00	1,80	5,00
	12	250/2000	7,00				
	14	250/1500	9,00				
	16	250/1500	11,00				
	18	200/1200	13,00				
	21	200/1200	16,00				
	24	150/900	19,00				
	27	150/900	22,00				
	30	150/900	25,00				
	35	100/800	30,00				

MUUT KOOT KYSELYNÄ

VETONIITIT  
ALUMIINI / TERÄS  
YLIPITKÄ



d	L	PAKKAUS	AINEV.	W	dc	K	REIKÄ Ø
Ø 3.2	8	500/4000	3,50	1,80	6,50	0,8	3,40
	10	500/4000	5,00				
	12	500/4000	7,00				
	14	500/4000	9,00				
	16	500/4000	11,00				
	18	500/4000	13,00				

Ø 4.0	8	500/4000	4,00	2,20	8,00	1,00	4,20
	10	500/4000	6,00				
	12	500/3000	8,00				
	14	500/3000	10,00				
	16	500/3000	12,00				
	18	500/3000	14,00				
	20	500/3000	16,00				
	25	250/1500	21,00				

Ø 4.8	10	500/3000	5,00	2,75	9,50	1,10	5,00
	12	500/3000	7,00				
	14	250/2000	9,00				
	16	250/2000	11,00				
	18	250/1500	13,00				
	21	250/1500	16,00				
	24	200/1200	19,00				
	27	200/1200	22,00				
	30	200/1200	25,00				
	32	150/900	27,00				
	35	150/900	30,00				
	40	150/900	32,00				
	45	100/600	37,00				
	50	100/600	42,00				

VETONIITIT  
ALUMIINI / TERÄS  
YLIPITKÄ




d	L	PAKKAUS	AINEV.	W	dc	K	REIKÄ Ø
Ø 5.0	40	150/900	32,00	2,75	9,30	1,50	5,20
	45	100/600	37,00				
	50	100/600	42,00				
	55	100/600	47,00				
	60	100/600	52,00				
	65	100/600	57,00				
	70	100/600	62,00				
	75	100/600	68,00				
	80	100/600	72,00				
	90	100/600	80,00				
	100	1000	90,00				
	110	500	100,00				
	120	0	110,0				
	130	0	120,0				
	140	0	130,0				
	150	0	140,0				
	160	0	150,0				
	170	0	160,00				
180	0	170,0					
190	0	180,0					

Ø 6.4	35	1000	25,00	3,60	13,00	2,00	6,60
	50	750	40,00				
	80	500	70,00				
	100	0	90,00				
	120	0	110,0				
	150	0	140,0				
	175		165,0				
	200		190,0				

MUUT KOOT KYSELYNÄ

VETONIITIT  
ALUMIINI / TERÄS  
POHJAREIKÄÄN




d	L	PAKKAUS	AINEV.	W	dc	K	REIKÄ Ø
Ø 3.2	10	500/4000	6,00	1,80	6,50	0,80	3,50

Ø 4.0	8	500/4000	4,00	2,20	8,00	1,00	4,30
	12	500/3000	6,00				
	16	500/3000	8,00				

Ø 4.8	8	500/3000	4,00	2,75	9,50	1,10	5,10
	10	500/3000	6,00				
	12	500/3000	8,00				
	14	250/2000	10,00				
	18	250/1500	13,00				
	21	250/1500	15,00				
	24	200/1200	20,00				

MUUT KOOT KYSELYNÄ

VETONIITIT  
ALUMIINI / TERÄS  
UPPOKANTA 120° MULTIGRIP




d	L	PAKKAUS	AINEV.	W	dc	K	REIKÄ Ø
Ø 3.2	9,5	500/4000	0,5-6,0	1,80	5,80	1,80	3,3-3,5

Ø 4.0	11	500/3000	2,0-8,0	2,20	7,30	1,30	4,1-4,3
-------	----	----------	---------	------	------	------	---------

Ø 4.8	8	500/3000	4,00	2,75	9,50	1,10	5,10
	10	500/3000	6,00				
	12	500/3000	8,00				
	14	250/2000	10,00				
	18	250/1500	13,00				
	21	250/1500	15,00				
	24	200/1200	20,00				

MUUT KOOT KYSELYNÄ

VETONIITIT  
ALUMIINI / TERÄS  
UPPOKANTA 120° MULTIGRIP




d	L	PAKKAUS	AINEV.	W	dc	K	REIKÄ Ø
Ø 3.2	9,5	500/4000	0,5-6,0	1,80	5,80	1,80	3,3-3,5

Ø 4.0	11	500/3000	2,0-8,0	2,20	7,30	1,30	4,1-4,3
-------	----	----------	---------	------	------	------	---------

Ø 4.8	12	500/3000	2,0-7,5	2,75	8,80	1,60	4,9-5,1
	16,5	250/1500	6,0-12,0				

MUUT KOOT KYSELYNÄ


VETONIITIT  
PAINEENKESTÄVÄ  
ALUMIINI / TERÄS  
UPPOKANTA 120°



d	L	PAKKAUS	AINEV.	W	dc	K	REIKÄ Ø
Ø 4.8	10	500/3000	4,5-6,0	2,60	9,50	1,50	4,90
	12	500/3000	6,0-8,0				
	14,5	250/2000	8,0-10,0				
	16	250/2000	10,0-12,0				

MUUT KOOT KYSELYNÄ

VETONIITIT  
ALUMIINI / ALUMIINI  
TREBOL



d	L	PAKKAUS	AINEV.	W	dc	K	REIKÄ Ø
Ø 4.0	13,6	500/3000	1,0-3,0	2,40	8,00	1,40	4,2-4,5
	18,8	250/2000	1,0-7,0				
	24,5	250/1500	4,0-12,0				

Ø 4.8	15,3	250/2000	1,0-3,0	2,90	8,80	1,60	5,0-5,3
	20,5	250/1500	1,0-9,0				
	24,5	200/1200	4,0-12,0				
	28	200/1200	6,0-16,0				

**TREBOL**  
**ALUMIINI / ALUMIINI**  
**LAAJAKANTA**

d	L	PAKKAUS	AINEV.	W	dc	K	REIKÄ Ø
<b>Ø 4.0</b>	18,8	250/2000	1,0-7,0	2,40	12,00	1,40	4,2-4,5

<b>Ø 4.8</b>	15,3	250/2000	1,0-3,0	2,90	9,30	1,60	5,0-5,3
	20,5	250/1500	1,0-9,0				
	24,5	200/1200	4,0-12,0				

<b>Ø 4.8</b>	20,5	200/1200	1,0-9,0	2,40	14,00	1,60	5,0-5,3
--------------	------	----------	---------	------	-------	------	---------

**RAKENNENIITIT**  
**ALUMIINI / ALUMIINI**  
**MONOBOLT**

d	L	PAKKAUS	AINEV.	W	dc	K	REIKÄ Ø
<b>Ø 6.5</b>	14	1500	1,0-9,5	4,00	13,00	2,50	6,6-7,0
	20	1000	2,0-16,0				

**MONOBOLT**  
**ALUMIINI / ALUMIINI**  
**UPPOKANTA**

d	L	PAKKAUS	AINEV.	W	dc	K	REIKÄ Ø
<b>Ø 6.5</b>	16	1500	1,0-12,0	4,00	11,20	2,20	6,6-7,0

**RAKENNENIITIT**  
**TERÄS / TERÄS**  
**MONOBOLT**

d	L	PAKKAUS	AINEV.	W	dc	K	REIKÄ Ø
<b>Ø 4.8</b>	10,3	2000	1,5-6,8	3,00	9,70	1,80	4,9-5,1
	13,5	2000	1,5-11,0				

<b>Ø 6.5</b>	14	1500	1,0-9,5	4,00	13,00	2,50	6,6-7,0
	20	1000	2,0-16,0				


**MONOBOLT**  
**TERÄS / TERÄS**  
**UPPOKANTA**

d	L	PAKKAUS	AINEV.	W	dc	K	REIKÄ Ø
<b>Ø 6.5</b>	16	1500	1,0-12,0	4,00	11,20	2,20	6,6-7,0

**RAKENNENIITIT**  
**A2 / A2**  
**MONOBOLT**


d	L	PAKKAUS	AINEV.	W	dc	K	REIKÄ Ø
<b>Ø 6.5</b>	14	1500	1,0-9,5	4,00	13,00	2,50	6,6-7,0
	20	1000	2,0-11,0				

**NIITTIMUTTERIT  
TERÄS  
TASAPYÖRÖKANTA**



d	L	PAKKAUS	AINEV.	d1	dc	K	REIKÄ Ø
<b>M4</b>	0,25-3,0	500/4000	9.5	6,00	9,00	1,00	6.1
	3,0-4,5	500/4000	11.5	6,00	9,00	1,00	6.1
<b>M5</b>	0,25-3,0	500/4000	12,00	7,00	10,00	1,00	7.1
	3,0-5,5	500/4000	15,00	7,00	10,00	1,00	7.1
<b>M6</b>	0,5-3,0	500/3000	14.5	9,00	13,00	1.5	9.1
	3,0-5,5	500/3000	16.5	9,00	13,00	1.5	9.1
<b>M8</b>	0,5-3,0	250/1500	16.5	11,00	16,00	1.5	11.1
	3,0-5,5	250/1500	18.5	11,00	16,00	1.5	11.1
<b>M10</b>	1,0-3,5	150/900	17.5	11.9	16,00	1.7	12,00
<b>M12</b>	1,0-4,0	500	25,00	16	23,00	2,00	16,10

**RIHLATTU  
TERÄS  
TASAPYÖRÖKANTA**




d	L	PAKKAUS	AINEV.	d1	dc	K	REIKÄ Ø
<b>M3</b>	0,25-2,0	500/4000	9,75	5,00	7,50	1,00	5,10
<b>M4</b>	0,25-3,0	500/4000	9,50	6,00	9,00	1,00	6,10
	3,0-4,5	500/4000	12,25	6,00	9,00	1,00	6,10
<b>M5</b>	0,25-3,0	500/4000	12,00	7,00	10,00	1,00	7,10
	3,0-5,5	500/4000	15,00	7,00	10,00	1,00	7,10
<b>M6</b>	0,5-3,0	250/2000	14,50	9,00	13,00	1,50	9,10
	3,0-5,5	250/1500	16,50	9,00	13,00	1,50	9,10
<b>M8</b>	0,5-3,0	250/1500	16,50	11,00	16,00	1,50	11,10
	3,0-5,5	250/1500	18,50	11,00	16,00	1,50	11,10
<b>M10</b>	0,5-3,5	150/900	19,50	13,00	19,00	2,00	13,10
	3,5-6,0	100/600	21,50	13,00	19,00	2,00	13,10
<b>M12</b>	1,0-4,0	500	25,00	16,00	23,00	2,00	16,10

MUUT KOOT KYSELYNÄ

**NIITTIMUTTERIT  
TERÄS  
PIENI KANTA**

d	L	PAKKAUS	AINEV.	d1	dc	REIKÄ Ø
<b>M3</b>	0,5-1,5	500/4000	8,70	4,92	5,40	5,10
<b>M4</b>	0,5-2,0	500/4000	10,40	6,30	6,70	6,40
<b>M5</b>	0,5-3,0	500/4000	11,50	7,10	7,90	7,20
<b>M6</b>	0,7-3,0	500/3000	14,50	9,50	10,20	9,60
<b>M8</b>	0,8-4,5	250/1500	16,00	10,50	11,30	10,60




**RIHLATTU  
TERÄS  
PIENI KANTA**

d	L	PAKKAUS	AINEV.	d1	dc	REIKÄ Ø
<b>M4</b>	0,5-2,0	500/4000	10,40	6,00	7,00	6,10
<b>M5</b>	0,5-3,0	500/4000	11,50	7,00	8,00	7,10
<b>M6</b>	0,5-3,0 3,0-5,5	500/3000 250/2000	14,50 16,50	9,00 9,00	10,00 10,00	9,10 9,10
<b>M8</b>	0,8-4,5	250/1500	16,80	11,00	12,00	11,10
<b>M10</b>	0,7-3,5	150/900	20,80	13,00	14,00	13,10


**NIITTIMUTTERIT  
TERÄS  
UPPOKANTA 90°**

d	L	PAKKAUS	AINEV.	d1	dc	K	REIKÄ Ø
<b>M4</b>	1,0-3,0	500/4000	11,50	6,00	9,00	1,50	6,10
<b>M5</b>	1,5-4,0	500/4000	13,00	7,00	10,00	1,50	7,10
<b>M6</b>	1,5-4,0	500/3000	16,00	9,00	12,00	1,50	9,10
<b>M8</b>	1,5-4,0	250/1500	19,00	11,00	14,00	1,50	11,10




**TERÄS  
UPPOKANTA 90° PIENI**

d	L	PAKKAUS	AINEV.	d1	dc	K	REIKÄ Ø
<b>M3</b>	0,5-1,5	500/4000	8,70	4,90	5,40	0,10	5,10
<b>M4</b>	1,0-3,0	500/4000	10,40	6,30	6,70	0,10	6,40
<b>M5</b>	1,5-4,0	500/4000	11,50	7,10	7,90	0,10	7,20
<b>M6</b>	1,5-4,0	500/3000	14,50	9,50	10,20	0,10	9,60
<b>M8</b>	1,5-4,0	250/1500	16,00	10,50	11,30	0,10	10,60




**NIITTIMUTTERIT  
TERÄS  
UPPOKANTA 90°**

d	L	PAKKAUS	AINEV.	d1	dc	K	REIKÄ Ø
<b>M4</b>	1,0-3,0	500/4000	11,50	6,00	9,00	1,50	6,10
<b>M5</b>	1,5-4,0	500/4000	13,00	7,00	10,00	1,50	7,10
<b>M6</b>	1,5-4,0	500/3000	16,00	9,00	12,00	1,50	9,10
<b>M8</b>	1,5-4,0	250/1500	19,00	11,00	14,00	1,50	11,10




**TERÄS  
UPPOKANTA 90° PIENI**

d	L	PAKKAUS	AINEV.	d1	dc	K	REIKÄ Ø
<b>M3</b>	0,5-1,5	500/4000	8,70	4,90	5,40	0,10	5,10
<b>M4</b>	1,0-3,0	500/4000	10,40	6,30	6,70	0,10	6,40
<b>M5</b>	1,5-4,0	500/4000	11,50	7,10	7,90	0,10	7,20
<b>M6</b>	1,5-4,0	500/3000	14,50	9,50	10,20	0,10	9,60
<b>M8</b>	1,5-4,0	250/1500	16,00	10,50	11,30	0,10	10,60




**NIITTIMUTTERIT  
TERÄS  
KUUSIKULMA**

d	L	PAKKAUS	AINEV.	d1	dc	K	REIKÄ Ø
<b>M4</b>	0,25-2,0	500/4000	10,00	6,00	9,00	1,00	6,10
<b>M5</b>	0,5-3,0	500/4000	13,00	7,00	10,00	1,00	7,10
<b>M6</b>	0,5-3,0	250/2000	14,50	9,00	13,00	1,50	9,10
<b>M8</b>	0,5-3,0 3,0-5,5	250/1500 250/1500	16,50 19,50	11,00 11,00	16,00 16,00	1,50 1,50	11,10 11,10
<b>M10</b>	1,0-3,5	150/900	21,00	13,00	19,00	2,00	13,10
<b>M12</b>	1,0-4,0	100/600	25,00	16,00	23,00	2,00	16,10




**KUUSIKULMA  
TERÄS  
PIENI KANTA**




d	L	PAKKAUS	AINEV.	d1	dc	REIKÄ Ø
<b>M4</b>	0,25-2,0	500/4000	11,00	6,00	6,60	6,10
<b>M5</b>	0,5-3,0	500/4000	14,00	7,00	7,70	7,10
<b>M6</b>	0,5-3,0	500/3000	16,00	9,00	9,80	9,10
<b>M8</b>	0,5-3,0	250/1500	18,00	11,00	11,80	11,10
<b>M10</b>	0,5-3,5	150/900	19,00	13,00	14,00	13,10
<b>M12</b>	1,0-4,0	100/600	25,00	16,00	17,50	16,10

**NIITTIMUTTERIT  
A2  
TASAPYÖRÖKANTA**




d	L	PAKKAUS	AINEV.	d1	dc	K	REIKÄ Ø
<b>M4</b>	0,25-2,0	500/4000	10,00	6,00	9,00	1,00	6,10
<b>M5</b>	0,5-3,0	500/4000	11,50	7,00	10,00	1,00	7,10
<b>M6</b>	0,5-3,0	250/2000	14,50	9,00	13,00	1,50	9,10
<b>M8</b>	0,5-3,0	250/1500	16,00	11,00	16,00	1,50	11,10

**A2  
PIENI KANTA**



d	L	PAKKAUS	AINEV.	d1	dc	REIKÄ Ø
<b>M4</b>	0,5-2,0	500/4000	11,00	6,00	7,00	6,10
<b>M5</b>	0,5-3,0	500/4000	12,00	7,00	8,00	7,10
<b>M6</b>	0,5-3,0	500/3000	14,50	9,00	10,00	9,10
<b>M8</b>	0,5-3,0	250/1500	16,00	11,00	12,00	11,10


**KUUSIKULMA  
A2  
PIENI KANTA**



d	L	PAKKAUS	AINEV.	d1	dc	REIKÄ Ø
<b>M4</b>	0,5-2,5	500/4000	10,60	5,90	6,80	6,00
<b>M5</b>	0,5-3,0	500/4000	11,60	6,90	8,00	7,00
<b>M6</b>	0,7-3,0	500/3000	14,50	8,90	10,00	9,00
<b>M8</b>	0,8-3,3	250/1500	15,80	10,90	12,00	11,00




**NIITTIMUTTERIT  
TERÄS  
PIENI "PUOLI"-KUUSIKULMAINEN**



d	L	PAKKAUS	AINEV.	d1	dc	REIKÄ Ø
<b>M4</b>	0,5-2,0	500/4000	10,50	6,30	7,80	6,40
<b>M5</b>	0,5-2,5	500/4000	12,00	7,10	8,80	7,30
<b>M6</b>	0,7-3,0	500/3000	15,00	9,50	11,20	9,60
<b>M8</b>	0,8-3,0	250/1500	16,00	10,50	12,20	10,60

**AHTONIITIT  
TERÄS - NIKLATTU**




N:R	0	0	2	4	6	7	8	10	12
Koko	1.47	1.85	2.49	2.89	3.5	3.86	4.16	4.55	5.3
	3 (3.17)	3 (3.17)	3 (3.17)	5 (4.76)	6 (6.35)	8 (7.93)	10 (9.52)	10 (9.52)	12 (12.7)
	5 (4.76)	5 (4.76)	5 (4.76)	6 (6.35)	8 (7.93)	10 (9.52)	12 (12.7)	12 (12.7)	19 (19.05)
	6 (6.35)	6 (6.35)	6 (6.35)	8 (7.93)	10 (9.52)	12 (12.7)	16 (15.87)	16 (15.87)	
			8 (7.93)	10 (9.52)					

MUUT KOOT KYSELYNÄ

Pakkaus	0	0	2	4	6	7	8	10	12
1000 Kpl	3 -	3 -	3 -						
500 Kpl				5 -	6 -	8 -	10 -	10 -	12 -

**AHTONIITIT  
A2**



N:R	00	0	2	4	6	7	8	10	12
Koko	1.47	1.85	2.49	2.89	3.5	3.86	4.16	4.55	5.3
	3 (3.17)	3 (3.17)	3 (3.17)	5 (4.76)	10 (9.52)				
	5 (4.76)	5 (4.76)	5 (4.76)	6 (6.35)					
	6 (6.35)		6 (6.35)	8 (7.93)					
				10 (9.52)					

MUUT KOOT KYSELYNÄ

Pakkaus	00	0	2	4	6	7	8	10	12
1000 Kpl	3 -	5 -							
500 Kpl			3 -						
200 Kpl				5 -					